

FIG. 1




FIG. 2




FIG. 3A







FIG. 3B



### WELCOME TO EUDORA!

EUDORA IS NOW LICENSED IN THREE WAYS; SPONSORED MODE, PAID MODE, AND LIGHT MODE. UNLESS YOU CHANGE MODES, EUDORA WILL RUN IN SPONSORED MODE, MEANING IT WILL DISPLAY ADS.

WE HAVE DONE OUR BEST TO PRESENT THE ADS IN A WAY THAT RESPECTS THE WORK YOU DO IN EMAIL. BY ALLOWING EUDORA TO DISPLAY ADS, YOU GET THE FULL POWER OF EUDORA FOR FREE AND WE CAN STILL PAY OUR BILLS.


IF YOU DECIDE THE ADS ARE NOT FOR YOU, YOU CAN CHANGE MODES. PAID MODE SHOWS NO ADS. CURRENT EUDORA PRO 4.X USERS WILL BE ABLE TO UPGRADE TO PAID MODE FOR FREE. OTHER USERS WILL BE ABLE TO PAY A LICENSE FEE TO GO TO PAID MODE. AT THIS STAGE IN TESTING, THE MACHINERY FOR PAID MODE IS NOT FULLY TESTED, AND PAID MODE IS UNAVAILABLE. LIGHT MODE ALSO SHOWS NO ADS, BUT HAS MANY FEWER FEATURES.

TO SWITCH FORMS OF EUDORA, PLEASE USE THE "PAYMENT & REGISTRATION" ITEM IN THE HELP MENU. TO LEARN MORE ABOUT THE THREE MODES, CLICK ON THE "TELL ME MORE" BUTTON BELOW.

[TELL ME MORE](#)

[OK](#)

FIG. 4B



<input type="checkbox"/>	<b>PAYMENT &amp; REGISTRATION</b>
WHICH EUDORA IS RIGHT FOR YOU?	
<input type="checkbox"/> SPONSORED MODE (FREE, WITH ADS)	
<input type="checkbox"/> PAID MODE (COST MONEY, NO ADS)	
<input type="checkbox"/> LIGHT MODE (FREE, FEWER FEATURES)	
KEEPING CURRENT	
<input type="checkbox"/> REGISTER WITH US	
<input type="checkbox"/> CUSTOMIZE THE ADS YOU SEE	
<input type="checkbox"/> FIND THE LATEST UPDATE TO EUDORA	
YOUR REGISTRATION INFORMATION	
<input type="checkbox"/> < NO REGISTRATION NAME >	
<input type="checkbox"/> < NO REGISTRATION CODE >	
<input type="checkbox"/> CHANGE YOUR REGISTRATION	
<input type="checkbox"/> TAKE ME TO THE EUDORA WEB SITE FOR MORE INFORMATION	

FIG. 5B

WOULD YOU LIKE TO REGISTER YOUR COPY OF EUDORA ?

AS A REGISTERED USER OF EUDORA WE WON'T NAG YOU AS OFTEN AS WE DO. WE'LL ALSO  
ERECT A GIANT STATUE IN YOUR IMAGE ON THE FRONT LAWN OF OUR CORPORATE  
HEADQUARTERS (\*).

HOW COOL IS THAT? C'MON... REGISTER! IT'S FUN AND EASY!

(\* GIANT STATUE OFFER VOID ON THE PLANET EARTH)

MAYBE LATER

TAKE ME TO THE REGISTRATION PAGE

FIG. 5C

- THANKS FOR CHOOSING TO REGISTER EUDORA!
- YOU'LL NEXT BE WALKED THROUGH A FEW QUICK STEPS, AS DESCRIBED BELOW, BEFORE REGISTRATION IS COMPLETE:
- EUDORA WILL OPEN YOUR WEB BROWSER AND TAKE YOU TO OUR REGISTRATION PAGE
  - WE'LL FILL IN SOME SIMPLE REGISTRATION INFORMATION ON THE WEB SITE
  - WE'LL THEN EMAIL A EUDORA REGISTRATION CODE BACK TO YOU
  - THE NEXT TIME YOU CHECK MAIL, EUDORA WILL AUTOMATICALLY RECOGNIZE THIS CODE AND DISPLAY A DIALOG BOX INVITING YOU TO CONFIRM YOUR REGISTRATION INFORMATION
  - TA DA! YOU'LL THEN BECOME A REGISTERED USER OF EUDORA... THANKS!

CANCEL

CONTINUE

FIG. 5D

— THANKS FOR CHOOSING TO PURCHASE EUDORA! —

YOU'LL NEXT BE WALKED THROUGH A FEW QUICK STEPS, AS DESCRIBED BELOW, BEFORE YOUR PURCHASE IS COMPLETE:

- EUDORA WILL OPEN YOUR WEB BROWSER AND TAKE YOU TO OUR PAYMENT & REGISTRATION PAGE
- YOU'LL BE ASKED TO PROVIDE YOUR PAYMENT AND REGISTRATION INFORMATION ON THE WEB SITE
- WE'LL THEN EMAIL A EUDORA REGISTRATION CODE BACK TO YOU
- THE NEXT TIME YOU CHECK MAIL, EUDORA WILL AUTOMATICALLY RECOGNIZE THIS CODE AND DISPLAY A DIALOG BOX INVITING YOU TO CONFIRM YOUR REGISTRATION INFORMATION
- TA-DA! YOU'LL THEN BECOME A PAID MODE USER... CONGRATULATIONS!

CANCEL

CONTINUE

FIG. 5E

<input type="checkbox"/>	<input type="checkbox"/>
<p>THANK YOU FOR YOUR REGISTRATION!</p> <p>TO COMPLETE YOUR REGISTRATION, PLEASE ENTER THE NAME YOU REGISTERED UNDER AND YOUR REGISTRATION CODE BELOW.</p>	
<p>THE EXACT NAME YOU REGISTERD UNDER:</p>	
FIRST NAME:	LAST NAME:
<input type="text" value="JOHN"/>	<input type="text" value="MANYJARS"/>
<p>YOUR REGISTRATION CODE:</p>	
<input type="text" value="48925-89A2-B1149"/>	
<p><input type="button" value="I LOST THE CODE"/></p>	
<p><input type="button" value="CANCEL"/> <input type="button" value="OK"/></p>	

FIG. 5F

DO YOU REALLY WANT TO SWITCH TO THE LIGHT VERSION OF EUDORA?

WHILE EUDORA IN LIGHT MODE REMAINS A VERY CAPABLE EMAIL CLIENT, IT LACKS THE POWER OF THE FULL VERSION. HERE ARE SOME OF THE FEATURES YOU WOULD BE GIVING UP, WITH CHECKMARKS NEXT TO THE ONES YOU'RE USING NOW:

- b CHECK THE SPELLING OF YOUR EMAIL MESSAGES AS YOU TYPE
- b MULTIPLE PERSONALITIES FOR MANAGING MULTIPLE MAIL ACCOUNTS OR IDENTITIES
- b MESSAGE STATIONERY TO HELP YOU RESPOND TO YOUR MAIL MORE QUICKLY
- b MULTIPLE SIGNATURES TO HELP PERSONALIZE YOUR MAIL
- b MORE POWERFUL FILTERING

CHANGE THE PERSONALITY ASSOCIATED WITH MESSAGES FOR BETTER ORGANIZATION

- b PLAY VARIOUS SOUNDS WHEN MAIL ARRIVES DEPENDING ON YOUR FILTERS
- b OPEN A MESSAGE OR MAILBOX IN RESPONSE TO A FILTER
- b PRINT MAIL DIRECTLY FROM FILTERS

YOU CAN CONTINUE TO ENJOY THE TIME-SAVING POWER OF THESE FEATURES, AT NO CHARGE, SIMPLY BY LEAVING EUDORA IN SPONSORED MODE. IF YOU REALLY WANT TO MAKE THE ADS GO AWAY BUT KEEP EUDORA'S FULL CAPABILITIES, HIT "CANCEL" AND THEN SELECT "FULL VERSION (COSTS MONEY, NO ADS)."

**REDUCED FEATURES**

**CANCEL**

FIG. 5G




FIG. 6A

□ ■

WOULD YOU LIKE TO TRY THE FULL-FEATURED VERSION OF EUDORA?

WHILE EUDORA IN LIGHT MODE REMAINS A VERY CAPABLE EMAIL PROGRAM, IT LACKS ALL THE POWER OF THE FULL VERSION. HERE ARE SOME OF THE CAPABILITIES YOU COULD BE USING TO MANAGE YOUR EMAIL (AND YOU'LL BE GETTING MORE OF IT, WE'RE SURE). THE FULL VERSION IS FREE BECAUSE IT IS SPONSOR-SUPPORTED. THAT MEANS IT HAS ADS IN IT, BUT THEY ARE DISPLAYED IN A WAY THAT'S SENSITIVE TO WHAT YOU'RE DOING WHEN YOU'RE IN EMAIL.

◀ ☰ ▶

CHECK THE SPELLING OF YOUR EMAIL MESSAGES AS YOU TYPE  
 MULTIPLE PERSONALITIES FOR MANAGING MULTIPLE MAIL ACCOUNTS OR IDENTITIES  
 MESSAGE STATIONERY TO HELP YOU RESPOND TO YOUR MAIL MORE QUICKLY  
 MULTIPLE SIGNATURES TO HELP PERSONALIZE YOUR MAIL  
 MORE POWERFUL FILTERING

CHANGE THE PERSONALITY ASSOCIATED WITH MESSAGES FOR BETTER ORGANIZATION  
 PLAY VARIOUS SOUNDS WHEN MAIL ARRIVES DEPENDING ON YOUR FILTERS  
 OPEN A MESSAGE OR MAIL BOX IN RESPONSE TO A FILTER  
 PRINT MAIL DIRECTLY FROM FILTERS

THESE FEATURES WILL BE TURNED ON AUTOMATICALLY, AT NO CHARGE, WHEN YOU CLICK ON THAT ENTICING BUTTON BELOW. (C'MON...TAKE A CHANCE.)

CANCEL WOW! I WANT TO TRY ALL THE FEATURES!

FIG. 6B




FIG. 7B




FIG. 8




FIG. 9

PPT: FRESH MEAT




FIG. 10

LINK HISTORY

TYPE	SITE	DATE VISITED
<input type="checkbox"/>	APPLE COMPUTER	WED, SEP. 1, 1999, 4:48 PM
<input type="checkbox"/>	FTP.QUALCOMM.COM/EUDORA	TODAY, 11:26 AM
<input type="checkbox"/>	QUALCOMM STORE	WED, SEP. 1, 1999, 4:48 PM
<input type="checkbox"/>	MAC OS RUMORS	ASAP!
<input type="checkbox"/>	MDUDZLAK@QUALCOMM.COM	TODAY, 11:23 AM
<input type="checkbox"/>	WWW.QUALCOMM.ONES.PRODUC...	WED, SEP. 1, 1999, 4:48 PM
<input type="checkbox"/>	WWW.EUDORA.COM	ATTEMPTED

FIG. 12A

<input type="checkbox"/>	<input type="checkbox"/>
<p>YOU CAN'T GET THERE FROM HERE</p> <p>YOU'RE NOT CONNECTED TO THE INTERNET NOW. HELP ME COPE. CONNECT YOU AND VISIT THE SITE, RECORD A BOOKMARK FOR LATER REMIND YOU TO VISIT IT NEXT TIME YOU ARE CONNECTED.</p>	
<p>CONNECT TO THE INTERNET AND VISIT L</p> <p><input type="button" value="VISIT NOW"/></p>	<p>BOOKMARK THIS SITE TO VISIT L</p> <p><input type="button" value="BOOKMARK"/></p>
<p>BOOKMARK THE SITE, AND REMIND YOU YOU'RE CONNECTED TO THE INTER</p> <p><input type="button" value="REMIND ME"/></p>	
<p><input type="checkbox"/> REMEMBER YOUR CHOICE FOR NEXT TIME</p>	

FIG. 12B

ASSUMPTIONS	
AVERAGE CONNEC. SPEED, Xbps	28.8
AVERAGE AD SIZE, Xbps/cm	9.3
NUMBER OF USERS	8,000,000
NUMBER OF HOURS RUNNING EUDORA	2
NUMBER MAILCHECKS PER USER PER HOUR	2
PLAYLIST ENTRY SIZE, BYTES	500

FIG. 13A

IMPLICATIONS						
# OF NEW ADS PER USER PER DAY	# SECONDS DOWN-LOADING ADS	# SECONDS ADDED PER CHECK	8x USERS AD BANDWIDTH, Xbps	AD USERS/100,000	AVG. CONN- ECTIONS, 1000'	8 x USERS PLAYLIST BAND- WIDTH, Xbps
10	26	6	67	0.8	2.4	4
15	39	10	101	1.3	3.6	5
20	52	13	135	1.7	4.8	7
25	65	16	168	2.1	6.0	9
30	78	19	202	2.5	7.2	11
35	90	23	235	2.9	8.4	12
						0.2

FIG. 13B




FIG. 14

```

///////////
// Main ad scheduler
ScheduleMain
{
// Has a new day dawned?
Do CheckForNewDay
// Are we within the current ad's showFor?
if ( ad.thisShowTime < ad.showFor )
{
// there is nothing to be done
return
}
// At this point, we know that we need a new ad
// Perform housekeeping tasks on the old one
do AdEndBookkeeping
// Pop out of a block if all ads on par
if ( block isn't all playlists )
{
find ad with minimum ad.numberShown
if ( ad.numberShown >= blockGoal )
set block to all playlists
}
// If we are over our quota of regular ads for the day,
// look for a runout
if ( adFaceTimeToday > faceTimeQuota )
{
do ShowARunout
}
else
{
Do ShowARegularAd
}
}
// end ad schedule main

```

FIG. 15A

```

///////////////////////////////
// We must perform certain tasks when the calander day
changes.
CheckForNewDay
{if ( the calander day has changed )
{
// Perform housekeeping tasks on the ad currently showing
Do StopShowingCurrentAd
// Runout ads are charged for a full showFor if they've been
shown
// at all on a given day. Charge any runout ads if they've
been
// shown at all.
for runout ads
{
if ( ad.thisShowTime > 0 )
{
ad.totalTimeShown += ad.showFor
ad.thisShowTime = 0
}
}
// Now, reset the counters for all ads to reflect the fact
that
// a new day has dawned.
for all ads
{
ad.numberShownToday = 0
}
// Record yesterday's facetime
// Might not literally be yesterday, be sure to use
// whatever day the app was last run on
set old current day's facetime to totalFaceTimeToday
// and reset our global regular ad facetime counter
adFaceTimeToday = 0
totalFaceTimeToday = 0
// if we were in a block, back out
set block to all playlists
}
}
// end CheckForNewDay

```

FIG. 15B

```
//////////  
// This function shows a runout ad, and if it  
// can't find one, goes to a rerun  
ShowARunout  
{  
for runout ads  
{  
// has the ad been flushed?  
if ( ad.flushed )  
try next ad  
// are we done showing this runout today?  
if ( ad.numberShownToday > ad.dayMax )  
try next ad // this one's used up for the day  
// are we done showing this runout for ever and ever?  
if ( ad.shownFor > ad.shownForMax )  
try next runout ad // this one's used up forever  
// are we between the ad's start and end date?  
if ( ad.startDate < the current date < ad.endDate )  
try next runout ad  
// the ad is not supposed to run today  
// do we actually HAVE the ad?  
if ( ad has not been downloaded )  
{  
ask for ad to be downloaded  
try next ad  
}  
// ok, we believe we should show this runout  
// we are now in runout state  
Do ShowAnAd  
return  
}  
// if we haven't found a runout ad, we will go to "rerun"  
state  
Do ShowARerun  
}  
// end ShowARunout
```

FIG. 15C

```
//////////  
// Rerun state. Look for a regular ad to rerun  
ShowARerun  
{  
for regular ads [ in current block ]  
{  
// has the ad been flushed?  
if ( ad.flushed )  
try next ad  
// is this ad recent enough to rerun?  
if ( ad.lastShownDate is older than returnInterval )  
try next ad  
// this one is too old to rerun  
// if in block, show ads only if it's their "turn"  
if ( ad.numberShownToday >= blockGoal )  
try next ad // need to find a friend in this block  
// are we between the ad's start and end dates?  
if ( ad.startDate < the current date < ad.endDate )  
try next ad  
// the ad is not supposed to run today  
// do we actually HAVE the ad?  
if ( ad has not been downloaded )  
{  
ask for ad to be downloaded  
try next ad  
}  
// ok, at this point we can show this ad, but because  
// we're in rerun, we don't keep the books  
Do ShowAnAd  
return  
}  
// if we get here, we have no ads to show. Punt.  
return  
}  
// end ShowARerun
```

FIG. 15D

```

///////////
// Show a regular ad
ShowARegularAd
{
for regular ads [ in current block ]
{
// has the ad been flushed?
if ( ad.flushed)
try next ad
// are we done showing this ad today?
if (ad.numberShownToday > ad.dayMax )
try next ad // this one's used up for the day
// if in block, show ads only if it's their "turn"
if ( ad.numberShownToday >= blockGoal )
try next add // need to find a friend in this block
// are we done showing this ad for ever and ever?
if ( ad.shownFor > ad.showForMax )
try next ad // this one's used up forever
// are we between the ad's start and end dates?
if ( ad.startDate < the current date < ad.endDate )
try next ad
// the ad is not supposed to run today
// do we actually HAVE the ad?
if ( ad has not been downloaded )
{
ask for ad to be downloaded
try next ad
}
// ok, we believe we should show this ad
// we are now in regular state
Do ShowAnAd
return
}
// if we get here, we have failed to find a regular
// ad. Go to runout
Do ShowARunout
}
// end ShowARegularAd

```

FIG. 15E

```
////////////////////////////
// Perform necessary housekeeping when we're taking
// down an ad
AdEndBookkeeping
{
// In rerun state, we don't do any bookkeeping
if ( in RerunState )
return
// Account for at most ad.showFor seconds, provided
// we've shown the ad for at least ad.showFor seconds
// Note that this means we don't charge for time beyond
// ad.showFor seconds, which is important
if ( ad.thisShowTime >= ad.showFor )
{
ad.numberShownToday += ad.showFor
ad.showFor++
// we do NOT reset thisShowTime here, we do it in
// AdStartBookkeeping. It actually doesn't matter where
// we do it, provided we are careful NOT to do it for
// runout ads.
}
}
// end AdEndBookkeeping
```

FIG. 15F

TOP SECRET//SI

```
//////////  
// Show an ad, including bookkeeping and block handling  
ShowAnAd  
{  
// If the ad is in a block, notice that  
if ( it's in a "block" playlist )  
{  
if ( not currently in a block )  
{  
find ad in block with minimum numberShown  
make that our ad  
set blockGoal to minimum numberShown+1  
}  
set current block to this playlist  
}  
// now do bookkeeping  
Do AdStartBookkeeping  
// and actually show it  
Do DisplayThatAd  
}
```

FIG. 15G

```
///////////////  
// Perform housekeeping when we put up an ad  
AdStartBookkeeping  
{  
// In return state, we don't do any bookkeeping  
if ( in RerunState )  
return  
// For regular ads  
if ( it's a regular ad )  
{  
ad.thisShowTime = 0  
ad.lastShownDate = now  
}  
}  
// end AdStartBookkeeping
```

FIG. 15H

PERSISTANT ADS			
PLAYLIST REQUEST	FACE TIME	USED TO DETERMINE HOW MUCH ADVERTISING TO SEND TO CLIENT	
	FACE TIME LEFT	NOT USED	
PLAYLIST RESPONSE CLIENTINFO	REQINTERVAL FLUSH	RELATIVELY LARGE: ONE OR MORE DAYS USED. SINGLE PLAYLIST COMPLETELY SPECIFIES LIST OF ADS CLIENT SHOULD HAVE	
PLAYLIST RESPONSE SCHEDULING PARAMETERS	SHOWFORMATMAX	NOT USED	

FIG. 16A

SHORT-LIVED ADS			
PLAYLIST REQUEST	FACE TIME	NOT USED	
	FACE TIME LEFT	USED TO DETERMINE HOW MANY ADS CLIENT SHOULD RECEIVE	
PLAYLIST RESPONSE CLIENTINFO	REQINTERVAL FLUSH	NOT USED. INSTEAD, CLIENT REQUEST NEW PLAYLIST WHENEVER ADS "RUN LOW". NOT USED	
PLAYLIST RESPONSE SCHEDULING PARAMETERS	SHOWFORMATMAX	USED TO DETERMINE HOW LONG AN AD RUNS	

FIG. 16B



□

EUDORA DOESN'T SEEM TO BE GETTING ADS.

FOR SOME REASON, EUDORA IS UNABLE TO DOWNLOAD NEW ADS. DOWNLOADING AND DISPLAYING ADS IS A REQUIREMENT FOR THE FREE FULL-FEATURED VERSION OF EUDORA. PLEASE VISIT THE EUDORA WEB SITE FOR INFORMATION ABOUT HOW TO RESUME GETTING ADS.

INVALID HTTP REQUEST (ERROR CODE: 503)

IF AD DOWNLOADING CONTINUES TO FAIL, EUDORA WILL EVENTUALLY REVERT TO THE LIGHT VERSION WHICH IS LESS POWERFUL.

TAKE ME TO THE EUDORA WEB SITE

FIG. 17A

**SOMETHING SEEMS TO BE COVERING THE AD.**

IT'S PROBABLY INADVERTENT, BUT EUDORA HAS DETERMINED THAT YOU ARE COVERING UP ALL OR A SIGNIFICANT PORTION OF AN AD. THE SOFTWARE IS DESIGNED TO NOTIFY YOU WHEN THIS HAPPENS IN THE HOPES THAT YOU WILL STOP COVERING UP THE AD. IF YOU DON'T, THIS WINDOW WILL KEEP POPPING UP (WHICH YOU WILL PROBABLY FIND QUITE ANNOYING).

WE'VE ALWAYS GOT SOME GOOD STUFF UNDER DEVELOPMENT BACK AT THE HOME OFFICE, AND IT'S THE ADVERTISING IN EUDORA THAT ENABLES US TO CONTINUE TO DEVELOP THE SOFTWARE WHILE PROVIDING IT TO YOU FOR FREE. WE'VE WORKED HARD TO MAKE SURE THE ADVERTISING ISN'T ANNOYING AND WE GENUINELY HOPE THAT YOU ARE NOT DELIBERATELY TRYING TO COVER THE ADS BECAUSE THEY'RE BOthering YOU. OF COURSE, YOU CAN CHOOSE TO PAY US FOR EUDORA BY CHOOSING "PAYMENT & REGISTRATION" FROM THE "HELP" MENU AND CLICKING ON "PAID FULL VERSION." OR YOU CAN REMOVE WHATEVER IS OBSCURING THE AD.



FIG. 17B




FIG. 17C

<p>WE'D LIKE TO KNOW HOW YOU USE EUDORA.</p> <p>IN ORDER TO MAKE EUDORA WORK AS WELL AS POSSIBLE, IT'S IMPORTANT THAT WE KNOW HOW PEOPLE USE IT. WE ASK USERS FOR THIS INFORMATION AT RANDOM. LOOKS LIKE IT'S YOUR TURN. IF YOU'RE OPEN TO HELPING US THIS WAY, ALL YOU HAVE TO DO IS CLICK "GENERATE INFO" BELOW AND A MESSAGE WILL BE CREATED. YOU CAN REVIEW THE CONTENTS OF THE MESSAGE IF YOU LIKE, AND THEN SEND IT TO US OR NOT -- THAT'S UP TO YOU.</p> <p>WE VALUE OUR PRIVACY; WE'RE PRETTY SURE YOU VALUE YOURS. SO WE WANT YOU TO KNOW WHAT WE'LL BE COLLECTING AND GIVE YOU A CHANGE TO ELIMINATE ANYTHING YOU DON'T WANT TO SEND. SIMPLY UNCHECK THE BOXES NEXT TO ANY INFORMATION YOU'D RATHER NOT SEND.</p> <p>PLEASE UNDERSTAND THAT AS SOON AS WE RECEIVE YOUR EMAIL, WE WILL THROW AWAY THE HEADERS THAT IDENTIFY THE MAIL AS COMING FROM YOU. YOU SEE, WE DON'T ACTUALLY NEED TO KNOW WHO YOU ARE TO FIND YOUR INFORMATION HELPFUL. SO WE PROMISE TO PROTECT YOUR PRIVACY AND TURN YOU INTO "JUST A NUMBER." :-)</p> <p>IT'S OK TO TRANSMIT STATISTICS REGARDING:</p> <p><input type="checkbox"/> YOU'RE DEMOGRAPHIC DATA</p> <p><input type="checkbox"/> ADVERTISEMENT INFORMATION</p> <p><input type="checkbox"/> NON-PERSONAL SETTINGS</p> <p><input type="checkbox"/> YOUR NET/EUDORA USAGE</p> <p><input type="checkbox"/> EUDORA FEATURES YOU USE</p>	
<input type="button" value="CANCEL"/>	<input type="button" value="GENERATE INFO"/>

FIG. 18A

PAGE	APPLICABLE QUERY PARTS	REGFIRST									
		EMAIL	REGLAST	REGCODE	OLDREG	REGLEVEL	PROFILE	URL	ADD	TOPIC	
ACTION	DISTRIBUTOR	VERSION	PRODUCT	PLATFORM							
PAYMENT	PAY	X	X	X	X	X	X	X	X	X	
FREWARE REGISTRATION	REGISTER-FREE	X	X	X	X	X	X	X	X	X	
ADWARE REGISTRATION	REGISTER-AD	X	X	X	X	X	X	X	X	X	
BOX REGISTRATIONS	REGISTER-BOX	X	X	X	X	X	X	X	X	X	
LOST CODE	LOSTCODE	X	X	X	X	X	X	X	X	X	
UPDATE	UPDATE	X	X	X	X					X	
PRO UPDATE	PROUPDATE	X	X	X	X					X	
ARCHIVED	ARCHIVED	X	X	X	X					X	
PROFILE	PROFILE	X	X	X	X	X	X	X	X	X	
INTRODUCTION	INTRO										
SUPPORT	N/A	X	X	X	X	X	X	X	X	X	
QUICK TIME MISSING	SUPPORT	X	X	X	X						NO-QT
AD FAILURE	SUPPORT	X	X	X	X						AD-FAIL
TUTORIAL	SUPPORT	X	X	X	X						TUTOR
FAQ	SUPPORT	X	X	X	X						FAQ
LIGHT USERS	SUPPORT	X	X	X	X						LIGHT
SEARCH SUPPORT	SUPPORT	X	X	X	X						SEARCH
NEWSGROUPS	SUPPORT	X	X	X	X						USENET

FIG. 19




FIG. 20

% The list of available ads advantageously can be built from the following query:

```
ads = dbCon.prepareStatement("SELECT * FROM ads WHERE StartDate<=today AND endDate>=today + 30 AND
AdType = "I" AND AdStatus = "A" AND ImpressionsServed<Impressions ORDERED BY ImpressionsServed ASC);

run out ads = dbCon.prepareStatement("SELECT * FROM ads WHERE StartDate <= today AND endDate >= today +
30 AND AdType = "R" AND AdStatus = "A" AND ImpressionsServed<Impressions ORDERED BY ImpressionsServed
ASC);
```

% The time required to deliver the ads advantageously can be calculated in the following manner.

```
face time left for today [seconds] = faceTime[today] - faceTimeUsedToday
```

(Comment: Face time left for today is the number of seconds the servlet can use to  
deliver special ads today.)

```
predict face time [seconds] = SUM( faceTime[tomorrow], faceTime[tomorrow+1], ... faceTime[tomorrow+reqInterval] )
```

(Comment: Predict face time is the number of seconds the servlet predicts the user is  
going to have.)

```
goal show time left [seconds] = predict face time -faceTimeLeft
```

(Comment: Goal show time left is the number of seconds that the software provider needs to fill  
with ads.)

FIG. 21A

```
%6 Targeting
  while (face time left for today) {
    if ad is not in the history {
      select ad [according to target = today]
      face time left for today -= ad.showFor
    }
    next ad
  }
```

```
while (Goal show time left) {
  if ad is not in the history {
    select ad [according to target]
    goal show time left -= ad.showFor
  }
  next ad
}
```

Default values:

reqInterval = 1 day.  
facetime = 30 minutes  
faceTimeQuota is ?  
histLength = 31 days

FIG. 21B




FIG. 22




FIG. 23